

17 Reasons Not to Take the Swine Flu (H1N1) Vaccine

1. The Swine flu vaccine contains 60,000 times more of the adjuvant Squalene than was given in the vaccinations that caused the Gulf War Syndrome. Squalene has been proven in animal studies to cause the exact same autoimmune dysfunction. The vaccine being tested does not contain any adjuvants (squalene), despite these being in the finished product! <http://www.whale.to/vaccine/injecting.html> Squalene is illegal for use in U.S. vaccines.

2. It contains 25,000 times more mercury than is considered safe but in the form of thimerosal. Thimerosal is 50 times more toxic than straight mercury. Thimerosal has been linked to Autism and other health conditions.

3. Large numbers of people think the vaccine is dangerous, including scientists who developed the polio vaccine. According to a Fox News poll, 51% of the public considers the H1N1 vaccine a greater threat than swine flu with a further 19% unsure which is worst. 50%-60% of doctors won't take it, 35% of nurses won't take it, and even scientists who developed the Polio vaccine won't take it, and are urging their friends and family not to.

The truth about the polio vaccine:

Dr. Hawkings & Dr. Koren: http://www.youtube.com/watch?v=JbNRdx1_7aU

Dr. Tenpenny: <http://www.youtube.com/watch?v=WD-IuczagIQ>

In the UK, the government sent a memo to senior neurologists to be alert for an increase of Guillain-Barre Syndrome following the H1N1 vaccine. GlaxoSmithKline includes Guillain-Barre Syndrome as a possible result of taking their swine flu vaccine.

"Live virus vaccines against influenza [flu] and paralytic polio, for example, may in each instance cause the disease it is intended to prevent..." – Dr. Jonas Salk, developer of first polio vaccine (Science 4/4/77 Abstracts)

4. In 1976, a similar swine flu scare caused a swine flu vaccine, resulting in large numbers of people with Guillain-Barré Syndrome. After new cases of Guillain-Barré Syndrome skyrocketed, the vaccine was stopped. There are 300 claims now pending from the families of GBS [Guillain-Barre Syndrome] victims who died. Even the WHO has admitted the vaccine may be dangerous.

5. Vaccines contain harmful fillers and ingredients that can be dangerous to human health. Some of these dangerous ingredients include: aluminum hydroxide, aluminum phosphate, ammonium sulfate, amphotericin B, animal tissues: pig blood, horse blood,

rabbit brain, dog kidney, monkey kidney, chick embryo, chicken egg, duck egg, calf (bovine) serum, betapropiolactone, fetal bovine serum, formaldehyde, formalin, glycerol, human diploid cells (originating from human ABORTED FETAL TISSUE), hydrolized gelatin, monosodium glutamate (MSG), neomycin sulfate, phenol red indicator, phenoxyethanol (antifreeze), potassium diphosphate, potassium monophosphate, polymyxin B, polysorbate 20, polysorbate 80, porcine (pig) pancreatic, hydrolysate of casein, residual MRC5 proteins, sorbitol, sucrose, thimerosal (mercury), tri(n)butylphosphate, VERO cells, a continuous line of monkey kidney cells, washed sheep red blood cells, and spermicide. Human mucous and hair is also found in vaccines, as the conditions aren't as sterile as you would imagine. It is unknown which of these ingredients are in which version of the Swine Flu Vaccine.

6. Swine Flu (H1N1) is no more deadly (or even less deadly) than the normal seasonal flu. Dr. Marc Lipsitch of Harvard University found a range of mortality from swine flu, from 0.007 percent to 0.045 percent which is in line with normal seasonal flu, and only kills those with life threatening health conditions

It is reported that there are 36,000 - 40,000 deaths from the normal flu in the US each winter. In New Zealand, the death toll from having widespread swine flu strike during the winter flu season resulted in 18 recorded deaths which in the US would equate to a mere 1,400 deaths from swine flu.

If the vaccine was the first vaccine to have a 100% success rate you would need to vaccinate 214,285 people to save 1 life. If it had a more realistic 20% success rate, you would need to vaccinate 1 million people to save a single person, and if you take a look at the risks listed above it is clear you would hurt and kill far more than you saved

In 1993, the federal government hid a deadly flu vaccine that killed thousands of nursing home patients. It was the first year that flu shots were paid for by Medicare. The vaccine-related mortality was so large that this setback the life expectancy of Americans for the first time since the 1918 Spanish flu. Mortality reports take a year or two to tabulate and the federal government may not to reveal the true mortality rate, and whether it was related to the flu or the vaccines.

WHO admits that swine flu has not mutated, as was feared. While it was initially reported that there were 159 H1N1 deaths in Mexico, WHO said that there had really only been 7 H1N1 deaths in Mexico at that point. As with the normal seasonal flu, it has only killed those who already had other life threatening conditions. Note: Flu's have always tended to become less virulent, not more.

7. If you are concerned about getting the swine flu, you can simply take Vitamin D3 3000-5000IU a day, which should be an effective dosage and can be purchased inexpensively. There is much evidence supporting Vitamin D in boosting your immune system and preventing influenza. It is effective against bacteria, viruses and fungus. Do your own research on this subject.

8. Regulations have been passed to shield vaccine manufacturers against claims of death and injury resulting from the vaccines.

Vaccine manufacturers can injure or kill thousands of people for money and not be prosecuted. For example, Bayer had a product they knew was contaminated with HIV so they just sold it overseas instead, killing thousands of hemophiliacs. Baxter did much the same.

<http://www.ahrp.org/infomail/0503/22.php>

<http://www.youtube.com/watch?v=wg-52mHIjhs>

<http://www.youtube.com/watch?v=wg-52mHIjhs>

9. In February, Baxter's facility in Austria produced a 2009 seasonal flu vaccine that was deliberately "contaminated" with H5N1 live bird flu virus. This virus was classified as a bioweapon and must be secure and separate from all other substances under stringent biosecurity level regulations. It was only discovered when, against standard procedure, a Czech lab tested the vaccine on ferrets, quickly killing them all. There are no records that this vaccine was destroyed.

10. Baxter uses cancerous VERO Green Monkey kidney cells to culture their H1N1 viruses that are routinely infected with the SV40 virus. Scientists have linked the SV40 virus to pandemic cancers, and even AIDS. Dr. Maurice Hilleman, the world's leading vaccine developer for Merck & Co., testified that America got AIDS from SV40 vaccine contamination, sourcing from the same species of African green monkeys used by Chiron.

http://onlinejournal.com/artman/publish/article_2830.shtml

11. The majority of the vaccine is in multi-use vials. Multi-use vials have caused people in Australia to be infected with HIV, hepatitis and bacterial diseases. On its own website, the CDC recommends single-use vials.

12. Canadian studies show that people who receive the seasonal flu vaccine are more likely to get sick with the H1N1 virus. CBC News in Canada reports that "In four Canadian studies involved about 2,000 people, researchers found people who had received the seasonal flu vaccine in the past were more likely to get sick with the H1N1 virus. Flu vaccines can weaken your immune system, and the same is true of the swine flu vaccine.

http://www.naturalnews.com/027102_vaccines_H1N1_flu_shot.html

13. The consequences of vaccines can be deadly, and have unknown side effects.

There is much evidence to support that vaccines have unknown side effects. One of the more recent events happened in Poland. An illegal test of a bird flu vaccine in Poland of 350 homeless people killed 21 of them, and the doctors and nurses are on trial for homicide.

<http://www.telegraph.co.uk/news/worldnews/europe/poland/2235676/Homeless-people-die-after-bird-flu-vaccine-trial-in-Poland.html>

14. Vaccine tests (even though lacking the dangerous adjuvant squalene) are showing serious negative side effects. In a test of the H1N1 vaccine in Germany, a 40 year old German businessman immediately felt bad from the injection and started coughing up blood. However, the researcher in charge of the trials dismisses the symptoms out of hand.

The European Medicines Agency report on GlaxoSmithKline's new swine flu vaccine called "Pandemrix" says on pg. 17 that it contains 10.69 milligrams of squalene. http://www.without-consent.com/media/EMEA_SqualeneDose.pdf

An appendix to the report says on pg. 29 that subjects injected with the vaccine suffered "Headache, tiredness, pain, redness, swelling or a hard lump at the injection site, fever, aching muscles and joint pain." It says these complaints were "very common" - occurring with more than 1 in 10 doses of Pandemrix.

http://www.without-consent.com/media/EMEA_AdverseReactions-Pandemrix.pdf

In 1 out of 1,000 doses, subjects reported "Allergic reactions leading to a dangerous decrease of blood pressure, which, if untreated, may lead to collapse, coma and death; fits, severe stabbing or throbbing pain along one or more nerves and low blood platelet count which can result in bleeding or bruising." In 1 in 10,000 doses, volunteers reported "temporary inflammation of the brain and nerves causing pain, weakness and paralysis that may spread across the body; and narrowing or blockage of blood vessels with kidney problems."

The US has ordered 195 million doses which equates to 195,000 people suffering from a life threatening allergic reaction and 19,500 people with inflammation of the brain, nerves and blockages which could obviously trigger heart attacks and strokes, and that's just the manufacturer's opinion.

15. According to many studies, vaccines are not nearly as effective as they are advertised to be. How well do vaccines work? After you've read enough about vaccines, you may conclude that any benefit is outweighed by the potential harm. Prior to 1905, in the Philippines, mortality from smallpox was around 10%. After the forced inoculation by the U.S. military, mortality range rose from 25% to 50%. In 1918, at a time when there was no epidemic brewing, three million people in the Philippines (natives) were vaccinated by the U.S. Army resulting in 47,369 infections and 16,477 deaths. One third of the vaccinated died. The program was doubled in 1919, with over seven million vaccinations.

This forced practice resulted in 65,180 infections and 44,408 deaths. Two thirds of the infected vaccine recipients died. The highest percentage occurred in Manila, which was also the most vaccinated area. The lowest percentage was in Mindanao, in which there was the least vaccination rate due to religious beliefs.

<http://poisonevercure.150m.com/vaccines2.htm>

The site above exceeds its bandwidth everyday, but you can still visit it at archive.org.
<http://web.archive.org/web/20080516152530/http://poisonevercure.150m.com/vaccines2.htm>

"Official data have shown that the large-scale vaccinations undertaken in the US have failed to obtain any significant improvement of the diseases against which they were supposed to provide protection." - Dr. A. Sabin, developer of the Oral Polio vaccine (lecture to Italian doctors in Piacenza, Italy, Decemeber 7th, 1985)

16. The Baxter patents for H1N1 were filed on August 27th 2007, almost 2 years before the virus was found, which has yet to be explained. Key patents applying to the swine flu vaccine are held by a private military contractor Dynacorp, connected with things such as underage sex slaves and genocide.

http://www.naturalnews.com/026779_swine_flu_patents_vaccines.html

17. There is evidence to suggest that swine flu was created in a laboratory. If you're interested in reading about this, [see my blog post for more details](#).

More About Squalene

95% of those with "Gulf War syndrome" tested positive for Squalene antibodies and 0% for those without Gulf War syndrome. Those who didn't attend the Gulf War, but took the vaccine had Gulf War Syndrome!

There are more than two dozen animal studies that generated data demonstrating Squalene's ability to induce autoimmune disease. Animals injected with Squalene develop painful, incurable, autoimmune diseases like multiple sclerosis, rheumatoid arthritis or systemic lupus, according to investigative journalist Gary Matsumoto

"Over the past 35 years, scientists in laboratories like UCLA Medical Center and the Karolinska Institute, which awards the Nobel Prizes in Medicine and Physiology, have published papers showing how squalene injected into rodents will cripple them. They used squalene to induce diseases like rheumatoid arthritis in animals (the animal version is called "adjuvant arthritis") in order to search for a cure in humans. They also develop a version of Multiple Sclerosis. <http://without-consent.com/>

Dangers of Squalene have been known since 1956, when Dr. Jules Freund, creator of this oil-based adjuvant, warned that animals injected with his formulation developed terrible, incurable conditions: allergic aspermatogenesis (stoppage of sperm production), experimental allergic encephalomyelitis (the animal version of Multiple Sclerosis), allergic neuritis (inflammation of the nerves that can lead to paralysis) and other severe autoimmune disorders. Injecting Squalene incites the immune system (the goal of

adjuvants) into attacking itself and any other source of Squalene in your body.

There is also patent for a vaccine to impair fertility in animals with Squalene as one of the main ingredients.

Update October 24, 2009

According to the Center for Disease Control (CDC), swine flu infections have already peaked, and are on their way out. So, why has Barak Obama suddenly announced a “national emergency?” Where's the emergency? According to the CDC, the number of people killed by swine flu in the U.S. is smaller than the number of people killed each year from regular seasonal flu. Declaring a “national emergency” gives the federal government dangerous new powers that can be enforced at gunpoint. Read more here: http://www.naturalnews.com/027323_swine_flu_national_emergency_pandemic.html

Disclaimer: Information contained within this report is for informational and educational purposes only. Statements have not been evaluated by the U.S. Food & Drug Administration. This information is not medical advice, and is not intended to diagnose, treat, cure or prevent any disease, and should not be used as a substitute for the advice of a physician, or other health care provider.